



S-SERIES

Suspension & Windshield Kit



XLR CABLE INCLUDED

S-SERIES

This latest design incorporates a new suspension concept, new materials and new windshield construction for refined performance and ease of use.

Lightweight with a minimum of parts and tough enough to withstand the rigours of ENG, the S-SERIES is ready to use straight out of the box.

The S-SERIES retains all the flexibility, balance and professional performance that you can expect from a Rycote system.



 Rycote

S-SERIES SUSPENSION

- One-piece web suspension elements - no rubbers or elastics
- Patented design gives ideal isolation for all axial microphones
- Unaffected by temperature and all-but unbreakable
- Suitable for microphones 19mm (¾") to 25mm (1") in shaft diameter
- Snap-in webs with six positions for perfect balance and fit
- Matched, high-flexibility microphone cable with twin clamps
- Pinch-release fittings for webs and cable clamps for quick and easy repositioning

XLR CABLE INCLUDED

CABLE/CONNECTORS SPECIFICATION

- Balanced microphone twin with ultra-fine stranded copper cores (18 x 0.1mm) and a helical screen
- 3mm soft PVC jacket for high flexibility even at low temperatures
- Neutrik NC3 (XLR-style) connectors with gold-finished pins

STRUCTURE

- Steel spine for core strength and rigidity
- Central chassis ring secures windshield pods and allows fast access to the microphone
- Chassis ring can be demounted when only a suspension is required

All S-series systems are supplied with our **NEW pistol grip handle.**





S-SERIES WINDSHIELD
(windscreen)

- The windshield (windscreen) uses pairs of "Pods" which twist-lock to the chassis ring
- All pods are 100mm (4") diameter but come in three different lengths (see sizes below)
- Four kit sizes combine the pods to house microphones from <200mm (8") to a maximum of 410mm (16")
- The acoustic fur covering (30mm staple) is integral and can give >30dB windnoise suppression (100-500Hz)



POD SIZES

- Pod U150** Tube length 150mm (6")
- Pod U180** Tube length 180mm (7")
- Pod U225** Tube length 225mm (9")

SYSTEM KIT SIZES

S-SERIES Kit	Order Code	Overall Body Length	Front Pod	Rear Pod
S-SERIES 300 Kit	010301	300 mm (12")	U150 150mm (6")	U150 150mm (6")
S-SERIES 330 Kit	010302	330 mm (13")	U180 180mm (7")	U150 150mm (6")
S-SERIES 375 Kit	010303	375 mm (15")	U225 225mm (9")	U150 150mm (6")
S-SERIES 450 Kit	010304	450 mm (18")	U225 225mm (9")	U225 225mm (9")

GENERAL GUIDE FOR LENGTH

For microphone lengths (excluding XLR)

- S-SERIES 300 kit** 200mm (8") OR LESS – 255mm (10")
- S-SERIES 330 kit** 260mm (10") – 280mm (11")
- S-SERIES 375 kit** 285mm (11") – 325mm (13")
- S-SERIES 450 kit** 355mm (14") – 410mm (16")



NEW pistol grip handle
supplied with all S-SERIES system kits



Rycote Microphone Windshields Ltd

Libby's Drive, Slad Road
Stroud
Glos, GL5 1RN
United Kingdom

Tel + 44 (0) 1453 759338

Fax + 44 (0) 1453 764249

Email info@rycote.com

www.rycote.com

 **Rycote**